

DAFTAR PUSTAKA

- [1] J. Lohrke et al. 25 Years of Contrast-Enhanced MRI: Developments, Current Challenges and Future Perspectives. *Adv. Ther.* 2016;33;1–28. Available from: doi: 10.1007/s12325-015-0275-4.
- [2] A. Silvio and C. Peter. Biodistribution of Gadolinium-based Contrast Agents, Including Gadolinium Deposition. *J. Magn. Reson. Imaging.* 2009;30(6);1259–1267. Available from: doi: 10.1002/jmri.21969.
- [3] P. Bücker et al. Combined speciation analysis and elemental bioimaging provide new insight into gadolinium retention in kidney. *Metallomics.* 2022;14(3). Available from: doi: 10.1093/mtomcs/mfac004.
- [4] Takeda M, Katayama Y et al. Concentration of Gadolinium-Diethylene Triamine Pentaacetic Acid in Human Kidney Study on Proper Time for Dynamic Magnetic Resonance Imaging of the Human Kidney on Low and High Magnetic Field. *Tohoku J. Exp Med.* 1993;171:119-128.
- [5] Song R and Yosypiv Ihor V. Development of the kidney medulla. *Organogenesis.* 2012;8:1:10-17. Available from: doi: 10.4161/org.19308.
- [6] Y. Zhou and A. Greka. Calcium-permeable ion channels in the kidney. *Am. J. Physiol Renal.* 2016;310:F1157-F1167. Available from: doi: 10.1152/ajprenal.00117.2016.
- [7] Haryanto Budi. Pengaruh Pemilihan Kondisi Batas, Langkah Ruang, Langkah Waktu, dan Koefisien Difusi pada Model Difusi. *APLIKA.* 2008;8:1.
- [8] E. R. Sari, G. Maslebu, and A. Sutresno. Studi Difusi Ca^{2+} Pada Sinapsis Menggunakan Metode Monte Carlo Cell. *Jurnal Fisika dan Aplikasinya.* 2020;16:1.
- [9] Gil A, Segura J et al. Monte Carlo simulation of 3-D buffered Ca^{2+} diffusion in neuroendocrine cells. *Biophysical Journal.* 1999;78:13-33. Available from: doi: 10.1016/S0006-3495(00)76569-6.
- [10] Sutresno A, F. Haryanto, S. Viridi, and I. Arif. Influence blocking by gadolinium in calcium diffusion on synapse model: A monte carlo simulation study. *J. Biomed. Phys. Eng.* 2020;10:3. Available from: doi: 10.31661/jbpe.v0i0.1155.
- [11] Bourne G. W and Trifaró J. M. The gadolinium ion: A potent blocker of calcium channels and catecholamine release from cultured chromaffin cells. *Neuroscience.* 1982;7:7. Available from: doi: 10.1016/0306-4522(82)90019-7.
- [12] Haryani F. F, F. Haryanto, and S. Viridi. Difusi Bebas 1D dan 2D dengan Monte Carlo: Perbandingan Distribusi Bilangan Random Normal dan Seragam dengan Box-Müller. *J Teor. dan Apl.* 2021;09:01. Available from: doi: 10.23960/jtaf.v9i1.2608.